

8008

Performance, Quality, and Economy.



Excellent Entry-Level Workgroup Printer

The 8008 provides excellent entry-level workgroup performance for the business environment with printing speeds of 31 pages per minute in monochrome 8 ppm in color and standard network connectivity. With a workload of 30,000 pages per month and versatile paper handling, this printer can handle all of your critical business documents.

Performance, Reliability, and Economy

The 8008 color laser printer provides an outstanding combination of performance, reliability and economy for entry level workgroup applications and is an excellent alternative to a inkjet and monochrome laser printers in a shared environment.

Vibrant Color Output

Vibrant color output and the ability to print on many types of media allow the user to print a wide range of business documents – from transparencies to postcards to sales literature. The 8008 is the ideal solution for anyone searching for a network-ready, reliable, fast and affordable small workgroup color laser printer to handle their most important printing jobs.

Product Highlights

- Excellent performance at 31 ppm monochrome and 8 ppm color
- Robust monthly workload up to 30,000 pages per month
- Up to 1200 dpi professional color quality
- Standard 10/100Base-T Ethernet and USB connectivity options
- Versatile paper handling for printing of wide variety of business documents
- Optional duplexing for two-sided printing
- High volume consumables
- Small footprint for ease of deployment
- An ideal color laser printer for small workgroups

Available Configuration:

- 8008** - Printer
- 8008B** - Printer with Special Toner Pack

Features & Specifications

Print Speed	Color: 8 ppm, 5 ppm (duplex); Mono: 31 ppm, 15 ppm (duplex)
Print Method	Laser. Color matching, automatic - document, photographic, graphics, custom and ICM (image color match)
Processor	ARM 9 (On chip ASIC), 170 MHz
Resolution	Up to 1200 x 600
Time To 1st Page	Color: 19 seconds; Mono: 13 seconds; 45 seconds Warm Up Time
Memory	8008: 64MB; IntelliPrint 8008: 128MB
Standard Connectivity	USB2, Ethernet TCP/IP (10BaseT/100BaseT). Automatic interface switching
Standard Emulation	Windows GDI; Tally Compressed Printer Language
Print Monitor	Configuration via Tally web Panel - Web Browser, HP Jet Admin partial compatible, Auto IP, SMTP (email), IPP, Discovery
Fonts	Windows 98 TrueType, Windows NT TrueType, Windows 2000 TrueType, Windows XP TrueType
Consumables	C,M,Y = 6,600 images each; K= 10,000 images (@ 5%); Initial toners supplied are up to 1,500 images (@ 5%)
Maintenance	OPC belt - up to 60,000 images, Waste toner bottle - up to 12,000 images
STD Paper Handling	250 sheet universal cassette or 15 envelopes
Opt'l Paper Handling	500 sheet universal feeder (does not require lower feeder)
Duplexing	Auto Duplex (optional)
Paper Type	Plain paper, transparencies, labels, heavy paper stock, envelopes
Paper Weight	20-24 lbs. Bond; Up to 56 lbs.; Cover/20 lbs. Index/20 lbs Envelope.
Paper Size	Letter, Executive, B5, A5, Custom; Envelopes: Com, 10, DL
Paper Output	250 sheet face down tray
Printable Area	Print to top, left, right, and bottom up to 5mm from edge
Physical Weight	77 lbs. (including consumables)
PhysicalSize	18.89" x 16.53" x 15.16"
Power Voltage	120V
Power Frequency	60Hz
Power Consumption	35 watts (sleep mode); 200 watts (standby); 630 watts (average operation)
Compliance	Energy Star
Workload	30,000 pages per month
Drivers	Windows 2003, XP, 2000, NT4.0, 95, 98, Me
Temperature	Operating: 50°F to 90.5° F
Humidity	Operating: 20% to 80% RH; ; Non-condensing
Acoustic	Printing:
Warranty	One year on-site
Option 1	Paper Cassette Legal, 250 sheets
Option 2	Add On Tray, 500 sheets
Option 3	Duplex Unit
Note	Exceeding the monthly duty cycle will not void the warranty if TG consumables and maintenance kits are used.



Tally and TallyGenicom are registered trademarks of TallyGenicom, L.P. All other company and product names are trademarks or registered trademarks of their respective owner. Specifications are subject to change without notice.

Published Date: 05/02/2006 Copyright © 2006 TallyGenicom, L.P.



4500 Daly Drive, Suite 100
Chantilly, VA 20151
T 800.436.4266
www.tallygenicom.com

